

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 2520-1701:100

Page 1 of 1

CATEGORY: Treated Lumber

LISTEE: Hoover Treated Wood Products, Inc., 154 Wire Road, Thomson, GA 30824
Contact: Steven Hill (706) 595-7355 FAX (706) 595-6600

DESIGN: Treated Lumber with EXTERIOR FIRE X. Products are pressure impregnated with "EXTERIOR FIRE X" fire retardant chemical. EXTERIOR FIRE X covers the following types of lumber: Douglas Fir, Southern Yellow Pine, Western Red Cedar, and Redwood Lumber. Refer to listee's printed installation instructions for additional detailed product description and constructions.

RATING:	Species	Flame Spread (30 minutes)	Smoke Developed (30 minutes)
	Douglas Fir	15	30
	Southern Yellow Pine	15	50
	Western Red Cedar	10	30 - 105
	Redwood	10	10 - 115

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, product identification, classification, and Underwriter's Laboratory label.

APPROVAL: Listed as exterior type fire retardant treated lumber. Also approved for use as ignition resistant materials as specified in Chapter 7A, of the 2007 California Building Code. The lumber must be pressured treated with the fire retardant chemical at the factory under authorized service inspection.

01-07-2008



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JANUARY 17, 2008**

*Listing Expires: **June 30, 2008***

Authorized By: **MIKE TANAKA, Senior Deputy State Fire Marshal**
Program Manager

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No.

2580-1701:101

Page 1 of 1

CATEGORY:

Treated Plywood

LISTEE:

Hoover Treated Wood Products, Inc., 154 Wire Road, Thomson, GA 30824
Contact: Steven Hill (706) 595-7355 FAX (706) 595-6600

DESIGN:

Treated Plywood with EXTERIOR FIRE X. Products are pressure impregnated with "EXTERIOR FIRE X" fire retardant chemical. EXTERIOR FIRE X covers the following types of plywood: Douglas Fir Plywood, Micro-Lam Douglas Fir laminated lumber plywood, Southern Yellow Pine Plywood, Gang-Lam Southern Yellow Pine laminated lumber plywood, Micro-Lam Southern Yellow Pine laminated lumber plywood, and Spruce Master Plank laminated lumber plywood.

Refer to listee's printed installation instructions for additional detailed product description and constructions.

RATING:

Species	Flame Spread (30 minutes)	Smoke Developed (30 minutes)
Douglas Fir	10	45
Micro-Lam Douglas Fir	10	25
Southern Yellow Pine	15	50
Gang-Lam Southern Yellow Pine	10	5 - 50
Micro-Lam Southern Yellow Pine	10	25
Spruce Master Plank	10	30

INSTALLATION:

In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING:

Listee's name, product identification, classification, and Underwriter's Laboratory label.

APPROVAL:

Listed as exterior type fire retardant treated plywood. Also approved for use as ignition resistant materials as specified in Chapter 7A, of the 2007 California Building Code. The plywood must be pressured treated with the fire retardant chemical at the factory under authorized service inspection.

11-16-2007



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JANUARY 17, 2008

*Listing Expires: **June 30, 2008***

Authorized By:

**MIKE TANAKA, Senior Deputy State Fire Marshal
Program Manager**